

GROUP
1643 1647

RECEIVED
MAY 31 2007
-C-100 HALL ROOM

7/15/

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

ATTY. DOCKET NO.
STK-077

SERIAL NO.
09/374,936

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICANT
Hermann Oppermann, et al.

FILING DATE
August 16, 1999

GROUP
1643

FOREIGN PATENT DOCUMENTS

RECEIVED	
MAY 31 2000	
TO THE MAIL ROOM	

EXAMINER

David Ames

DATE CONSIDERED:

7/15/11

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.


FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
STK-077SERIAL NO.
09/374,936INFORMATION DISCLOSURE
STATEMENT BY APPLICANTAPPLICANT
Hermann Oppermann, et al.FILING DATE
August 16, 1999GROUP
1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER
INITIAL

DR

Brunner, et al., Site-directed mutagenesis of cysteine residues in the pro region of the transforming growth factor β 1 precursor, J. Biol. Chem., 264, pp. 13660-13664 (1989).Hilvert, et al., Chemical synthesis of proteins, Chem. Biol., 1, pp. 201-203 (1994).Lipscomb, et al., Context-dependent protein stabilization by methionine-to-leucine substitution shown in T4 lysozyme, Protein Sci., 7, pp. 765-773 (1998).Liu, et al., Peptide segment ligation strategy without use of protecting groups, Proc. Natl. Acad. Sci. USA, 91, pp. 6584-6588 (1994).Meno, et al., Two closely-related left-right asymmetrically expressed genes, lefty-1 and lefty-2: their distinct expression domains, chromosomal linkage and direct neuralizing activity in *Xenopus* embryos, Genes to Cells, 2, pp. 513-324, (1997).Miranda, et al., Accelerated chemical synthesis of peptides and small proteins, Proc. Natl. Acad. Sci. USA, 96, pp. 1181-1186 (1999).Muir, et al., Expressed protein ligation: A general method for protein engineering, Proc. Natl. Acad. Sci. USA, 95, pp. 6705-6710 (1998).Nikolova, et al., Semirational design of active tumor suppressor p53 DNA binding domain with enhanced stability, Proc. Natl. Acad. Sci. USA, 95, pp. 14675-14680 (1998).Qian, et al., Binding affinity of transforming growth factor- β for its type II receptor is determined by the C-terminal region of the molecule, J. Biol. Chem., 271, pp. 30656-30662 (1996).Smith, et al., Automatic generation of primary sequence patterns from sets of related proteins, Proc. Natl. Acad. Sci. USA, 87, pp. 118-122 (1990).Wallace, et al., Peptide ligation and semisynthesis, Curr. Opin. Biotechnol., 6, pp. 403-410 (1995).Wang, et al., Recombinant human bone morphogenetic protein induces bone formation, Proc. Natl. Acad. Sci. USA, 87, pp. 2220-2224 (1990).

EXAMINER

David Rimes

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

 RECEIVED
 MAY 31 2000
 MAIL ROOM